

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3912	(347/5,131,254,49,14,47).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 08:57
S2	169	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:20
S3	14	S2 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:20
S4	299	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:22
S5	28	S4 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:27
S6	63200	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:27
S7	243	S4 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:36
S8	2	("5,719,602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:36

S9	43	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and memory and (configurable or adjustable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:42
S10	63200	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:35
S11	10	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:35
S12	77199	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and memory and (configurable or adjustable) or "non-volatile memory" or "non volatile memory"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:51
S13	817	S12 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:43
S14	3912	(347/5,131,254,49,14,47).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:43
S15	141	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:43
S16	11482	printer adj controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:10

S17	77199	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and memory and (configurable or adjustable) or "non-volatile memory" or "non volatile memory"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:59
S18	3912	(347/5,131,254,49,14,47).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:51
S19	141	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:51
S20	18	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:52
S21	75729	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and memory and (configurable or adjustable) or "non-volatile memory" or "non volatile memory" and (printer adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:04
S22	63200	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 09:00
S23	813	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:00
S24	140	S21 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:02

S25	24	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and memory and (configurable or adjustable) and ("non-volatile memory" or "non volatile memory") and (printer adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:07
S26	5	S25 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:04
S27	45	(printhead or "print head")and nozzle near (multiple or plurality) and "dot data" and (printer adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:37
S28	15	S27 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:03
S29	2	("20040169692").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:16
S30	246	(printer adj controller) and (((printer adj module) or "printhead" or "printheads" or "print head" or "print heads") near width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:21
S31	183	(printer adj controller) and (((printer adj module) or "printhead" or "printheads" or "print head" or "print heads") near width) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:29
S32	63262	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:22

S33	103	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:26
S34	99	((("printer adj module) or "printhead" or "printheads" or "print head" or "print heads") near width) and ("non-volatile memory" or (non adj volatile adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 10:31
S35	39	(printer adj controller) and (((printer adj module) or "printhead" or "printheads" or "print head" or "print heads") near width) and ("non-volatile memory" or (non adj volatile adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 11:38
S36	35	((("printhead" or "print head") near15 width)and nozzle near (multiple or plurality) and "dot data" and (printer adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:37
S37	8	S36 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:37
S38	3	((("printer adj controller) near15 width) and (((printer adj module) or "printhead" or "printheads" or "print head" or "print heads") near width) and ("non-volatile memory" or (non adj volatile adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 12:09
S39	3	S38 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 11:39
S40	1111	(printer adj controller) and nozzles and ((plurality or multiple) near15 "printheads" or "print head" or "print heads" or "print head")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:15

S41	897	S32 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:13
S45	195	(print\$3 near width) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 14:45
S46	61	S45 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:07
S50	2	("6289240").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:16
S51	2	("20040169692").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:08
S52	0	("347"/\$.ccls and (print adj head) same width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:13
S53	5034	((print adj head) same width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:11
S54	63262	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10

S55	2508	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10
S56	7686	((print near (head or module)) same (width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S57	3313	S56 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S58	0	("347"/\$.ccls and (print adj head) same width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:51
S61	2508	("347"/\$.ccls. and (print adj head) same width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:52
S62	1019	("347"/\$.ccls. and (print adj head) same width and nozzles and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:55
S63	14	("347"/49.ccls. and (print adj head) same width and nozzles and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:57
S64	14	("347"/49.ccls. and ((print adj (head or module)) same width) and nozzles and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:58

S65	6	("347"/49.ccls. and ((print adj (head or module)) with width) and nozzles and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:03
S66	6	("347"/49.ccls. and ((print adj (head or module)) with width) and ((different or multiple or plurality) with nozzles) and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:05
S68	515	("347"/\$.ccls. and ((print adj (head or module)) with width) and ((different or multiple or plurality) with nozzles) and memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:37
S71	1	"printer module widths"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:50
S72	1796	(printhead or "print head" or "printheads" or (print adj module)) near width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:57
S74	484	(printhead or "print head" or "printheads" or (print adj module)) adj width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:57
S75	1	("6857724").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 09:15
S76	589	((printhead or "print head") near width) and nozzle near (multiple or plurality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:24

S77	63367	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 09:24
S78	516	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:24
S79	57988	(different difference unequal multiple "not equal") near width\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 09:25
S80	46	S79 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 10:37
S81	2	("5719602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 10:43
S82	2	("20040169692").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:15
S83	75550	"non-volatile" near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:20
S84	63367	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:16

S85	812	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:17
S86	13176	printer near controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:17
S87	125	S86 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:17
S88	29	("non-volatile" near memory) near (printhead or "print head")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 10:02
S89	20	S88 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:20
S90	0	("non-volatile" near memory) near ((printhead or "print head") near width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 10:03